

GL
TECHNICS

PRODUCTS



GL GMBH
METALL- UND WERKSTATTTECHNIK



SCAN FOR DIGITAL PRODUCT CATALOG

OUR FAVORITES



EASYLIFT

SAVE ENERGY WHEN
CHANGING WHEELS



AGS 20 FLUSHING DEVICE

HIGH-END-VERSION OF
A FLUSHING DEVICE

OUR ADAPTERS – JUST IN CASE

AGS UNIVERSAL ADAPTER CASE

HIGH-QUALITY ADAPTER
„MADE IN GERMANY“



UNSERE ADAPTERLISTE

A man is operating a grey and white forklift in a large industrial warehouse. The forklift is carrying a wooden pallet loaded with metal sheets. In the background, another worker is walking, and the warehouse structure is visible. The scene is brightly lit, and the overall atmosphere is one of active industrial work.

WORKSHOP EQUIPMENT AND CONTRACT MANUFACTURING

As a leading manufacturer of workshop equipment and reliable service provider in metal contract manufacturing, we offer you a comprehensive product and service portfolio. With our own development and production at our company site in Frickenhausen near Stuttgart, we guarantee excellent quality in material, processing and function of our tools, workshop products and contract services.

OUR PLATFORMS



STANDS FOR INNOVATIVE AND HIGH-QUALITY PRODUCTS FOR VEHICLE WORKSHOPS AND FOR LASER CUT, BENDED- AND WELDED SHEET METAL PARTS MANUFACTURED WITH ULTRA-MODERN METHODS.

AL TECHNICS






**HIGH QUALITY
„MADE IN GERMANY“**



BRAKE MAINTENANCE

CLEAN, SAFE, FAST:
PROBLEM-FREE BRAKE-
FLUID CHANGING WITHOUT
LABORIOUS REFILLING OF
BRAKE FLUID.





**GL TECHNICS INNOVATION:
THE PERFECTA PLUS EXTRACTION SYSTEM**

PERFECTA 3

SOLID
BASIC DEVICE
FOR BRAKE
MAINTENANCE



DRUCKENTLASTUNG FÜLLSCHLAUCH
FILLER HOSE PRESSURE RELIEF

BEFÜLLVORGANG
VENTING

START

ON/OFF

1A

D Kurzanleitung

Bitte lesen Sie die Kurzanleitung vor dem Gebrauch des Gerätes.
Die Bedienungsanleitung ist Teil des Produkts und enthält wichtige Informationen.
Für alle Reparaturen wenden Sie sich an den Kundendienst.

1. Einbauelemente sind ausschließlich bei den von uns empfohlenen Lieferanten zu beschaffen.
2. An der Befüllstation ist die volle Baueinheit zu verwenden.
3. Die Befüllstation ist ausschließlich für die Befüllung von Bremsflüssigkeit zu verwenden.
4. Die Befüllstation ist ausschließlich für die Befüllung von Bremsflüssigkeit zu verwenden.
5. Die Befüllstation ist ausschließlich für die Befüllung von Bremsflüssigkeit zu verwenden.

KUNDENDIENST: Tel. 020 250 250

GB

Brief Instructions

Please read the Brief Instructions before using the device.
The operating manual is part of the product and contains important information.
For all repairs contact our customer service.

1. Components for fitting must only be obtained from the recommended suppliers.
2. Only the full unit is to be used for filling.
3. The filling station is only to be used for filling with brake fluid.
4. The filling station is only to be used for filling with brake fluid.
5. The filling station is only to be used for filling with brake fluid.

ATTENTION: For further help visit

PERFECTA 4 DESIGN

SOLID
BASIC DEVICE
FOR BRAKE
MAINTENANCE



PERFECTA 4 DESIGN PLUS

“PORTABLE”
DEVICES OF THE
PERFECTA SERIES



PERFECTA 20 DESIGN PLUS

THE RELIABLE ALL-
ROUNDER IN EVERYDAY
USE IN THE WORKSHOP



PERFECTA 60 DESIGN PLUS

OUR BIG ONE
IN BRAKE
MAINTENANCE



ACCESSORIES

PROFI ADAPTER CASE



ACCESSORIES

PROFI ADAPTER
CASE SMALL



ACCESSORIES

PICTURE SHOWS
1-LITER COLLECTION BOTTLE



MINERAL OIL FILLING

PROFESSIONAL SOLUTIONS
FOR FAST AND SAFE
HYDRAULIC OIL CHANGES IN
SHIFT AND CLUTCH SYSTEMS.





PERFECTA 20 HY

SOLID SOLUTION
ON TWO WHEELS



PERFECTA 20 HY MOBIL

ALSO VERY
POWERFUL IN
MOBILE USE



FUEL APPLICATIONS

INNOVATIVE
SOLUTIONS
FOR HANDLING
FUELS





TANK PRIMUS 80

SAFE EXTRACTION
IN THE WORKSHOP



ACCESSORIES

EXTRACTION PROBE
SET FOR THE TANK-
PRIMUS SERIES



AUTOMATIC DISPENSING GUN TP 80

**AUTOMATIC SHUTDOWN
WHEN REFUELING THE
VEHICLE**



DEG DIESEL VENTING DEVICE



PORTABLE
AND POWERFUL



D KURZANLEITUNG

1. Vor dem Einsatz des Ventinggeräts muss die Bedienungsanleitung gelesen werden.
2. Das Ventinggerät ist für den Einsatz in Diesel- und Dieselmotoren geeignet.
3. Das Ventinggerät ist für den Einsatz in Dieselmotoren geeignet.
4. Das Ventinggerät ist für den Einsatz in Dieselmotoren geeignet.
5. Das Ventinggerät ist für den Einsatz in Dieselmotoren geeignet.

ENG BRIEF INSTRUCTIONS

1. Read the operating instructions carefully before use.
2. The venting device is suitable for use in diesel and diesel engines.
3. The venting device is suitable for use in diesel engines.
4. The venting device is suitable for use in diesel engines.
5. The venting device is suitable for use in diesel engines.

ATTENTION: FOR DIESEL ONLY!


APPLICATIONS FOR ADBLUE®

NEW STANDARDS FOR
DRIP-FREE, ODOR-FREE
AND SAFE FILLING OF
ADBLUE®-TANKS





FILLING DEVICE FOR ADBLUE®

 SUITABLE FOR
LARGE CONTAINERS



ACCESSORIES

REMOVE SURPLUS LIQUID
WITH NO RESIDUE



ACCESSORIES

EXTRACTION
FITTING 210 L IN 60 L
APPLIANCE TANK




ACCESSORIES

EXTRACTION
FITTING 1,000 L
IN 60/210 L
APPLIANCE TANK



WHEELS & TIRES

ESTABLISHED PRODUCTS,
PROVEN IN PRACTICE,
MAKE INFLATING TIRES
AND WHEEL CHANGES
VERY STRAIGHTFORWARD.





**PERFECT COMBINATION:
THE EASYLIFT AND THE
DIGITAL HAND INFLATOR**

EASYLIFT

SAVE ENERGY
WHEN CHANGING
WHEELS








TOOLS

TOOLS FOR
MANUFACTURING-
SPECIFIC
APPLICATIONS



LASER WELDING MILLER

 OPEN LASER-
WELDED SEAMS
EASILY AND
CLEANLY



GEARBOX FLUSHING

GL TECHNICS HAS THE
"WASHING MACHINE"
FOR AUTOMATIC-GEARS.





**OIL CHANGE +
GEARBOX FLUSHING =
OIL CHANGE PLUS**

AGS 20 FLUSHING DEVICE

HIGH-END-VERSION
OF A FLUSHING DEVICE



AGS UNIVERSAL ADAPTER CASE

HIGH-QUALITY ADAPTER
„MADE IN GERMANY“



SUSPENSION



FILLING AND BLEEDING DEVICE FOR ESUSPENSION SDS 5

SERVICE FOR SHOCK ABSORBERS IN ACTIVE CHASSIS



SHOCK ABSORBER EVACUATOR SDE96


EMPTYING, VACUUMING,
FILLING: FOR HYDRAULIC
SYSTEMS



EBS 100

EVACUATION AND
FILLING DEVICE FOR
SHOCK ABSORBERS





GL GmbH Metall- und Werkstatttechnik

Nürtinger Straße 23 – 25
72636 Frickenhausen

Telephone: +49 7022 94322-44

Telefax: +49 7022 94322-40

E-Mail: info@gl-gmbh.de

gl-gmbh.de



SCAN FOR DIGITAL PRODUCT CATALOG